# TRIM® HD

## Heavy-duty Synthetic

TRIM HD is a synthetic (chemical surface active) coolant concentrate used for general machining and grinding of ferrous materials. It utilizes a heavy-duty, chlorinated EP additive package for improved performance on stainless steel, super alloy, and most soft aluminum.

## **Synthetics**



#### Peak your performance:

TRIM® clean-running synthetics contain little-to-no oil. They are hardwater tolerant with good corrosion protection. Plus, synthetics leave very low residue for easy cleaning. Paired with extremely low carryoff, synthetics translate to less maintenance and lower operational costs, saving you time and money.

Run clean and long with TRIM synthetics.



#### **Choose HD:**

- Provides rapid and effective cooling and reduces machining forces through the use of EP additives and boundary lubricants
- Has superior anti-weld action to control built-up edge and chip welding
- Compatible with all ferrous and most nonferrous materials
- Broad range of applications by using different concentrations for different applications
- Fully compatible with most nonmetallic materials
- A superior product for low-speed, highpressure operations such as production band sawing and drilling
- Will keep your machines clean while leaving a soft, fluid film that protects the bare metal parts of your machine tools

#### **HD** especially for:

**Applications** — band sawing, drilling, grinding, high-pressure, and machining

**Metals** — aluminum, ferrous metals, most nonferrous metals, nonmetallic materials, stainless steels, and super alloys

Industries — aerospace and automotiveHD is free of — oil



# TRIM® HD

# Heavy-duty Synthetic

## **Application Guidelines**

- The minimum recommended concentration is 5% on all materials: however, higher concentrations give better sump life, tool life, and corrosion control.
- HD at higher concentrations or in the neat form is effective in lightto moderate-duty stamping, drawing, and forming.
- HD works best when used in high-speed machining situations; however, at higher concentrations (7.5% plus), it exhibits significant levels of slip lubrication.
- HD is not recommended for use on reactive metals (i.e., magnesium or zirconium).
- For additional product application information, including performance optimization, please contact your Master Fluid Solutions' Authorized Distributor at https://www.2trim.us/distributors.php, your District Sales Manager, or call our Tech Line at 1-800-537-3365.

## **Physical Properties Typical Data**


Color (Concentrate)	Cream
Color (Working Solution)	Opaque
Odor (Concentrate)	Mild pine
Form (Concentrate)	Liquid
Flash Point (Concentrate) (ASTM D92-90)	> 208°F
pH (Concentrate as Range)	8.4 - 9.0
pH (Typical Operating as Range)	8.3 - 8.9
Coolant Refractometer Factor	2.7
Titration Factor (CGF-1 Titration Kit)	0.68
Digital Titration Factor	0.0196
V.O.C. Content (ASTM E1868-10)	73 g/l

## **Recommended Metalworking Concentrations**


Light duty	5.0% - 6.5%
Moderate duty	6.5% - 8.5%
Heavy duty	8.5% - 10.0%
Design Concentration Range	5.0% - 10.0%



### **Concentration by % Brix**



### **Concentration by Titration**



Titration Factor = 0.68

#### **Health and Safety**

Request SDS





# TRIM® HD

## Heavy-duty Synthetic

### **Mixing Instructions**

- Recommended usage concentration in water: 5.0% 10.0%.
- To help ensure the best possible working solution, add the required amount of concentrate to the required amount of water (never the reverse) and stir until uniformly mixed.
- Use premixed coolant as makeup to improve coolant performance and reduce coolant purchases. The makeup you select should balance the water evaporation rate with the coolant carryout rate. Use our Coolant Makeup Calculator to find the best ratio for your machine: <a href="mailto:apps.masterfluids.com/makeup/">apps.masterfluids.com/makeup/</a>.
- Use mineral-free water to improve sump life and corrosion inhibition while reducing carryoff and concentrate usage.









TRIM® HD | ©1967-2021 Master Fluid Solutions® | 2021-12-27



#### **Additional Information**

- Use Master STAGES™ Whamex XT™ for a quick and thorough precleaning of your machine tool and coolant system.
- Consult Master Fluid Solutions before using on any metals or applications not specifically recommended.
- This product should not be mixed with other metalworking fluids or metalworking fluid additives, except as recommended by Master Fluid Solutions, as this may reduce overall performance, result in adverse health effects, or damage the machine tool and parts. If contamination occurs, please contact Master Fluid Solutions for recommended action.
- TRIM<sup>®</sup> is a registered trademark of Master Chemical Corporation d/b/a Master Fluid Solutions.
- Master STAGES™ and Whamex XT™ are trademarks of Master Chemical Corporation d/b/a Master Fluid Solutions.
- The information herein is given in good faith and believed current as of the date of publication and should apply to the current formula version. Because conditions of use are beyond our control, no guarantee, representation, or warranty expressed or implied is made. Consult Master Fluid Solutions for further information. For the most recent version of this document, please go to this URL:

https://2trim.us/di/?i=na en-us HD



