



Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 1 of 10

Drydene Relentac MTS 150

SECTION 1: Identification

Product Identifier

Product Name: Drydene Relentac MTS 150

Product code: D60214

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Lubricating oil

Uses Advised Against: Any use than recommended above

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States

Reladyne, LLC

8280 Montgomery Road

Suite 101 Cincinnati, OH 45236

(888) 830-3156

sds@reladyne.com

www.reladyne.com

Emergency Telephone Number:

United States

INFOTRAC

(800) 535-5053 (24/7)

SECTION 2: Hazard(s) Identification

GHS Classification: Not a hazardous substance or mixture

Label elements

Hazard Pictograms: None

Signal Word: None

Hazard statements: None

Precautionary Statements: None

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	50-52
CAS Number: 64742-57-0	Residual oils (petroleum), hydrotreated	40-46

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 2 of 10

Drydene Relentac MTS 150

CAS Number: 68603-55-4	Amines, C12-14-alkyl, C6-10-alkyl phosphates	1-2
---------------------------	--	-----

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. If respiratory symptoms develop or persist, seek medical advice/attention.

After Skin Contact:

Wash affected area with plenty of soap and water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persists, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Not determined or not applicable.

Delayed Symptoms and Effects:

Not determined or not applicable.

Immediate Medical Attention and Special Treatment

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 3 of 10

Drydene Relentac MTS 150

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA).

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
NIOSH	Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	64742-65-0	REL-TWA: 5 mg/m ³ (Oil mist, mineral [up to 10 hr])
	Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	64742-65-0	IDLH: 2500 mg/m ³ (Oil mist, mineral)
	Residual oils (petroleum), hydrotreated	64742-57-0	REL-TWA: 5 mg/m ³ (Oil mist (mineral) [10-hour workday during 40-hour workweek])
	Residual oils (petroleum), hydrotreated	64742-57-0	15-Minute STEL: 10 mg/m ³ (Oil mist (mineral))
	Residual oils (petroleum), hydrotreated	64742-57-0	IDLH: 2500 mg/m ³ (Oil mist (mineral))

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 4 of 10

Drydene Relentac MTS 150

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	64742-65-0	8-Hour TWA-PEL: 5 mg/m ³ (Oil mist, mineral)
	Residual oils (petroleum), hydrotreated	64742-57-0	8-Hour TWA-PEL: 5 mg/m ³ (Oil mist (mineral))
ACGIH	Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	64742-65-0	8-Hour TWA: 5 mg/m ³ (Oil mist, mineral; inhalable particulate matter)
	Residual oils (petroleum), hydrotreated	64742-57-0	8-Hour TWA: 5 mg/m ³ (Mineral oil, excluding metal working fluids, pure, highly and severely refined, inhalable fraction)
United States(California)	Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	64742-65-0	8-Hour TWA-PEL: 5 mg/m ³ (Oil mist, mineral, particulate)
	Residual oils (petroleum), hydrotreated	64742-57-0	8-Hour TWA-PEL: 5 mg/m ³ (Oil (mineral) mist, particulate)

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 5 of 10

Drydene Relentac MTS 150

Appearance	Yellow Liquid
Odor	Hydrocarbon Like
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	255°C (491°F)
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	7.376 lbs/gal
Relative density	0.883
Solubilities	Negligible
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	150 cSt @ 40°C
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

Strong oxidizing agents

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 6 of 10

Drydene Relentac MTS 150

Name	Route	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	oral	LD50 Rat: > 15,000 mg/kg
	dermal	LD50 Rabbit: > 5000 mg/kg
	inhalation	LC50 Rat: >2.4 mg/L (4 hr [aerosol])
Residual oils (petroleum), hydrotreated	oral	LD50 Rat: >5000 mg/kg
	inhalation	LC50 Rat: 2.18 mg/L (4 hr [Aerosol])
	dermal	LD50 Rabbit: >5000 mg/kg

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Serious Eye Damage/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Species	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)		The classification as a carcinogen does not apply because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.
Residual oils (petroleum), hydrotreated		Insufficiently refined lubricant base oils with IP 346 \geq 3% produce tumors when tested in mouse dermal application tests.

International Agency for Research on Cancer (IARC):

Name	Classification
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Group 3
Residual oils (petroleum), hydrotreated	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Not Applicable

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 7 of 10

Drydene Relentac MTS 150

Name	Classification
Residual oils (petroleum), hydrotreated	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	May be fatal if swallowed and enters airways.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 8 of 10

Drydene Relentac MTS 150

Name	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Fish LC50 Pimephales promelas: > 100 mg/L (96 hr [LL50 - mortality])
	Aquatic Invertebrates EC50 Daphnia magna: > 10,000 mg/L (48 hr [EL50 - mobility, Read-across substance data])
	Fish LC50 Oncorhynchus mykiss: >5000 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: >1000 mg/L (48 hr)

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Aquatic Invertebrates NOEC Daphnia magna: 10 mg/L (21 d [NOEL - reproduction, Read-across substance data])
	Fish NOEC Oncorhynchus mykiss: >=1000 mg/L (14 d [NOEL-mortality, Read-across substance data])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Standard biodegradability studies are not applicable to petroleum UVCB substances.
Residual oils (petroleum), hydrotreated	The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Standard bioaccumulation studies are not applicable to petroleum UVCB substances.
Residual oils (petroleum), hydrotreated	The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Standard adsorption/desorption studies are not applicable to petroleum UVCB substances.
Residual oils (petroleum), hydrotreated	The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 9 of 10

Drydene Relentac MTS 150

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Standard PBT studies are not applicable to petroleum UVCB substances.
Residual oils (petroleum), hydrotreated	The substance is not PBT

vPvB assessment:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Standard vBvB studies are not applicable to petroleum UVCB substances.
Residual oils (petroleum), hydrotreated	The substance is not vPvB

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies. Dispose of in accordance with all applicable local, regional, state and federal regulations.

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.05.2026

Page 10 of 10

Drydene Relentac MTS 150

UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Listed
------------	---	--------

New Jersey Right to Know:

64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Listed
------------	---	--------

New York Right to Know: None of the ingredients are listed.

Pennsylvania Right to Know:

64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic (contains <3% DMSO extract)	Listed
------------	---	--------

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-1-0

HMIS: 1-1-0

Initial Preparation Date: 01.05.2026

End of Safety Data Sheet