

Twin Industrial Cleaner 2458-B

INDUSTRIAL, ALKALINE IMMERSION & SPRAY CLEANER

TWIN INDUSTRIAL CLEANER 2458-B

Twin Industrial Cleaner 2458-B is a concentrated liquid cleaner that is engineered to remove greases, oils, lubricants and particulate soils from carbon steel and stainless steel. It has extremely low foaming properties, and foaming soils are suppressed at temperatures above 90°F.

Twin Industrial Cleaner 2458-B is compatible with both immersion and power spray equipment. This formulation rejects oils and greases to the surface of the bath and its inconspicuous residual film provides effective short-term rust protection.

RECOMMENDED CONCENTRATIONS

Immersion Cleaning	4 - 10%
Power Spray Cleaning	3 - 6%
Temperature Range	Ambient - 160°F

TYPICAL PHYSICAL PROPERTIES

Appearance	Water White Liquid
Odor	Mild
Specific Gravity	1.14
Bulk Density	9.51 lbs./gal
pH, 5% Solution	12.7
pH, Concentrate	13.8

FEATURES AND BENEFITS

- Extremely Low Foaming
- Excellent Detergency
- Effective at Ambient or Elevated Temperatures
- Rejects Oils & Greases to the Surface to Extend Life of the Bath
- Residual Film Provides Short-Term Rust Protection



Twin Specialties Corporation
11730 Walton Road, Suite 207
Blue Bell, PA 19422
O: (610) 834-7900
F: (610) 834-7903
sales@gemini-twin.com
twincoils.com

The information contained on this data sheet is believed to be reliable. Since the conditions of application and use of our products are beyond our control, no warranty is expressed or implied regarding accuracy of the information, the results obtained from the use of the product, or that such use will not infringe on any patent. This information is furnished with the express condition that you will conduct your own tests to determine the suitability of the product for your particular use.